

1210	{	<local computer information>	
		computer_name	= "org5"
		domain_name	= "bugwheat2"
		virtualip_address	= "10.0.11.130"
		visibleip_address	= "208.185.39.2"
		firewall_in_place	= "no"
		network_config	= "inline"
		dns_from_dhcp	= "no"
		dns_primary	= "10.10.10.2"
		dns_secondary	= "10.10.10.3"
1212	{	Proxylp	= "208.185.40.2"
		</local computer information>	
		<local interface information>	
		name	= "eth0"
		mac_layer_address	= "00:90:27:EE:02:3B"
		local_IP_address	= "208.185.39.2"
		gateway	= "208.185.39.1"
1214	{	subnet_mask	= "255.255.255.0"
		dhcp	= "none"
		</local interface information>	
		<local LAN Information><address range>	
		startip_address_range	= "208.185.49.1"
1216	{	endip_address_range	= "208.185.49.255"
		type	= "included"
		gateway	= ""
		</address range> </local LAN Information>	
1218	{	<cryptographic key>	
		kind	= "PublicKey"
		type	= "NOC's Primary Key"
		format	= "RSA"
		encryption	= "3DES"
		modulus	= "0x ... 01"
		modulus_bits	= "1024"
1218	{	public_exp	= "0x03"
		</cryptographic key>	
		<firewall rule>	
		protocol="tcp"	
		direction="in"	
		src_ip_mask="\$any"	
		src_port="1024:65535"	
		dst_ip_mask="\$1"	
1218	{	dst_port="21"	
		action="ACCEPT"	
		rule_number="1"	
		</firewall rule>	

FIG. 12




FIG. 13




FIG. 14